



Scan results for **carmel.ac.uk**

 **Compliant**

Great work! **carmel.ac.uk** meets the Web Content Accessibility Guidelines (WCAG) and is ADA-compliant.

 **accessWidget** is detected on the website

Thank you for making your website accessible and inclusive for all users with  **accessiBe**




Congratulations!
Your website is among the **3%** of inclusive and accessible websites globally. Well done!

● Inclusive websites ● Not inclusive websites

In the report you'll find the results for dozens of tests focusing mainly on these categories:

- Screen-reader** adjustments (blind users)
- Keyboard navigation** adjustments (motor impaired)
- UI, design and readability** adjustments (vision impaired)



| # | Element | Relevant | Successes | Failures | Score |
|---|---|----------|-----------|----------|-------|
| 1 | Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button". | Yes | 4 | 1 | 80% |

Successful Elements

```
<button class="c-header__search js-search " data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;"> Search <svg role="presentation" xmlns="http://www.w3.org/2000/svg" width="15.458...
```

```
<button class="gdpr-preferences " type="button" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button">Privacy Preferences</button>
```

```
<button class="gdpr-agreement " type="button" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button">I Agree</button>
```

```
<span class="gdpr-close " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" ><span data="true" " aria-hidden="false" > Close </span></span>
```

Failed Elements

```
<a class="p-embed-vid__link ltv-playbtn " target="_blank" rel="nofollow noopener noreferrer" data-acsb-tooltip="Play Video | New Window" tabindex="0" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!imp...
```

| | | | | | |
|---|---|-----|---|---|------|
| 2 | Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description. | Yes | 5 | 0 | 100% |
|---|---|-----|---|---|------|

Successful Elements

```
<button class="c-header__search js-search " data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;"> Search <svg role="presentation" xmlns="http://www.w3.org/2000/svg" width="15.458...
```

```
<a class="p-embed-vid__link ltv-playbtn " target="_blank" rel="nofollow noopener noreferrer" data-acsb-tooltip="Play Video | New Window" tabindex="0" data-custom-button-processed="true" style=";background-color:#ffffff!...
```

```
<button class="gdpr-preferences " type="button" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button">Privacy Preferences</button>
```

```
<button class="gdpr-agreement " type="button" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" role="button">I Agree</button>
```

```
<span class="gdpr-close " tabindex="0" style=";background-color:#ffffff!important;color:#000000!important;" role="button" ><span data="true" " aria-hidden="false" > Close </span></span>
```

3

Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.

Yes

51

0

100%

Successful Elements

```
<a href="#site-content" class="screen-reader-text skip-link c-button " data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;" aria-hidden="false" data="true" "> Skip to Content </a>
```

```
<a class="c-nav-social__link" href="https://www.youtube.com/user/carmelcollege1" target="_blank" rel="noopener" data-acsb-tooltip="New Window" data-custom-button-processed="true"> <span class="screen-reader-text " aria...
```

```
<a class="c-nav-social__link" href="https://www.facebook.com/carmelcollege/" target="_blank" rel="noopener" data-acsb-tooltip="New Window" data-custom-button-processed="true"> <span class="screen-reader-text " aria-hid...
```

```
<a class="c-nav-social__link" href="https://twitter.com/CarmelRCCollege" target="_blank" rel="noopener" data-acsb-tooltip="New Window" data-custom-button-processed="true"> <span class="screen-reader-text " aria-hidden=...
```

```
<a class="c-nav-social__link" href="https://www.instagram.com/carmel_college/?hl=en" target="_blank" rel="noopener" data-acsb-tooltip="New Window" data-custom-button-processed="true"> <span class="screen-reader-text " ...
```

```
<a class="c-navigation-top__link " target="_blank" rel="noopener" href="https://cedar.carmel.ac.uk/auth/login" data-acsb-tooltip="Use / to navigate" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Parent Hub</a>
```

```
<a class="c-navigation-top_link " href="https://www.carmel.ac.uk/about-us/contact-us/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Con...
```

```
<a href="https://www.carmel.ac.uk/" data-custom-button-processed="true"> <span class="screen-reader-text " aria-hidden="false" style=";background-color:#ffffff!important;color:#000000!important;" data="true" "> Home-link</spa...
```

```
<a class="c-navigation_link " href="https://www.carmel.ac.uk/courses/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use / to navigate" style...
```

4 Links that open in a new tab or a new window should either have an "aria-label" attribute or a screen-reader only element explaining to screen-readers that this opens in a new tab.

Yes

9

0

100%

Successful Elements

```
<a class="c-nav-social_link" href="https://www.youtube.com/user/carmelcollege1" target="_blank" rel="noopener" data-acsb-tooltip="New Window" data-custom-button-processed="true"> <span class="screen-reader-text " aria...
```

```
<a class="c-nav-social_link" href="https://www.facebook.com/carmelcollege/" target="_blank" rel="noopener" data-acsb-tooltip="New Window" data-custom-button-processed="true"> <span class="screen-reader-text " aria-hid...
```

```
<a class="c-nav-social_link" href="https://twitter.com/CarmelRCCollege" target="_blank" rel="noopener" data-acsb-tooltip="New Window" data-custom-button-processed="true"> <span class="screen-reader-text " aria-hidden=...
```

```
<a class="c-nav-social_link" href="https://www.instagram.com/carmel_college/?hl=en" target="_blank" rel="noopener" data-acsb-tooltip="New Window" data-custom-button-processed="true"> <span class="screen-reader-text " ...
```

```
<a class="c-navigation-top_link " target="_blank" rel="noopener" href="https://cedar.carmel.ac.uk/auth/login" data-acsb-tooltip="Use / to navigate" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";b...
```

```
<a class="c-button " href="https://www.eventbrite.co.uk/e/open-evening-tuesday-12th-march-2024-tickets-716042019957?aff=oddtcreator" target="_blank" rel="noopener" aria-label="College Open Event. This opens in a new browser window." data-acsb-toolt...
```

```
<a class="c-footer-nav_link " target="_blank" rel="noopener" href="https://cedar.carmel.ac.uk/auth/login" d
```

```
<a class="c-footer-nav__link " target="_blank" rel="noopener" href="https://pmx.parentmail.co.uk/#core/login" data-acsb-tooltip="New Window" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-...
```

```
<a href="https://www.carboncreative.net/" target="_blank" data-acsb-tooltip="New Window" data-custom-button-processed="true" style=";background-color:#ffffff!important;color:#000000!important;"> <span class="screen-reader-...
```

| | | | | | |
|---|--|-----|------|---|------|
| 5 | An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title. | Yes | Pass | - | 100% |
|---|--|-----|------|---|------|

Successful Elements

```
<h1 class="c-hero-home__title o-uppercase " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1"> Welcome to Carmel College </h1>
```

| | | | | | |
|---|---|-----|----|---|------|
| 6 | HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text. | Yes | 14 | 0 | 100% |
|---|---|-----|----|---|------|

| | | | | |
|---|--|----|---|---|
| 7 | Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed. | No | 0 | 0 |
|---|--|----|---|---|

| | | | | |
|---|--|----|---|---|
| 8 | Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles. | No | 0 | 0 |
|---|--|----|---|---|

| | | | | | |
|---|---|-----|------|---|------|
| 9 | Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0". | Yes | Pass | - | 100% |
|---|---|-----|------|---|------|

Successful Elements

```
<span class="gdpr-close " tabindex="0" style="background-color:#ffffff!important;color:#000000!important;" role="button" ><span data-="true" " aria-hidden="false" > Close </span></span>
```

| | | | | | |
|----|---|-----|------|---|------|
| 10 | Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused. | Yes | Pass | - | 100% |
|----|---|-----|------|---|------|

| | | | | | |
|----|--|----|---|---|--|
| 11 | Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it. | No | 0 | 0 | |
|----|--|----|---|---|--|

| | | | | | |
|----|---|-----|------|---|------|
| 12 | Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer. | Yes | Pass | - | 100% |
|----|---|-----|------|---|------|

| | | | | | |
|----|---|----|---|---|--|
| 13 | Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible. | No | 0 | 0 | |
|----|---|----|---|---|--|

| | | | | | |
|----|---|----|---|---|--|
| 14 | Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible. | No | 0 | 0 | |
|----|---|----|---|---|--|

| | | | | | |
|----|--|-----|---|---|------|
| 15 | Menus should either be built using the HTML5 "nav" element or include a "role" attribute that equals to "menu" or "navigation" to indicate a navigation landmark for screen-readers. | Yes | 7 | 0 | 100% |
|----|--|-----|---|---|------|

Successful Elements

```
<nav class="c-navigation-top" aria-label="Top Navigation" role="navigation"><ul class="c-navigation-top__lis
```

```
<nav class="c-navigation" aria-label="Main Navigation" role="navigation" data-acsb-main-menu="true"><ul class="c-navigation__list" data-acsb-menu="ul" ><li id="menu-item-70" class="c-navigation__item has-children c-navigation__item--parent c-naviga...
```

```
<nav class="c-navigation-add" aria-label="Top Navigation Additional" role="navigation"><ul class="c-navigation-add__list" data-acsb-menu="ul" ><li id="menu-item-466" class="c-navigation-add__item c-navigation-add__item--id-466" data-acsb-menu="li" d...
```

```
<nav class="c-footer-nav" aria-label="Courses" role="navigation"><ul class="c-footer-nav__list" data-acsb-menu="ul" ><li id="menu-item-24" class="c-footer-nav__item c-footer-nav__item--id-24" data-acsb-menu="li" data-acsb-menu-root="true"><a class="...
```

```
<nav class="c-footer-nav" aria-label="Useful Information" role="navigation"><ul class="c-footer-nav__list" data-acsb-menu="ul" ><li id="menu-item-493" class="c-footer-nav__item c-footer-nav__item--id-493" data-acsb-menu="li" data-acsb-menu-root="tru...
```

```
<nav class="c-footer-nav" aria-label="About Carmel College" role="navigation"><ul class="c-footer-nav__list" data-acsb-menu="ul" ><li id="menu-item-65" class="c-footer-nav__item c-footer-nav__item--id-65" data-acsb-menu="li" data-acsb-menu-root="tru...
```

```
<nav class="c-footer-nav" aria-label="Portals" role="navigation"><ul class="c-footer-nav__list" data-acsb-menu="ul" ><li id="menu-item-33" class="c-footer-nav__item c-footer-nav__item--id-33" data-acsb-menu="li" data-acsb-menu-root="true"><a class="...
```

16

Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".

Yes

6

0

100%

Successful Elements

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/courses/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use / to navigate" style=...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/life-at-carmel/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!impor...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/results-progression/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/student-services/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!impor...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/applying/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style="background-color:#ffffff!important;c...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/about-us/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style="background-color:#ffffff!important;c...
```

17 Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.

Yes

6

0

100%

Successful Elements

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/courses/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use / to navigate" style...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/life-at-carmel/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style="background-color:#ffffff!impor...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/results-progression/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style="background-color:#ffffff!...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/student-services/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style="background-color:#ffffff!imp...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/applying/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style="background-color:#ffffff!important;c...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/about-us/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style="background-color:#ffffff!important;c...
```

18 Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.

Yes

5

0

100%

Successful Elements

```
</span>
```

```
<svg class="o-svg o-svg--play-icon o-svg--icons" focusable="false" aria-hidden="true" data-acsb-force-hidden="true" ><use xlink:href="https://www.carmel.ac.uk/wp-content/themes/Carmel-College/assets/svg/sprites/icons.svg#play-icon" aria-hidden="true" data-acsb-force-hidden="true" ></use></svg>
```

| | | | | | |
|----|--|-----|---|---|------|
| 21 | Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute. | Yes | 4 | 0 | 100% |
|----|--|-----|---|---|------|

Successful Elements

```
<figure class="c-image-content-home__item c-image-content-home__image" role="none"> <img width="960" height="960" class="attachment-image-content size-image-content lazyloaded" alt="3 students laughing together sat on a bench in t...
```

```
<figure class="c-image-content-home__item c-image-content-home__image" role="none"> <img width="960" height="716" class="attachment-image-content size-image-content lazyloaded" alt="Students in a lane wearing walking gear" decodin...
```

```
<figure class="c-cards-large__image" role="none">  Home - Carmel College</title>
```

| | | | | |
|----|--|-----|------|---|
| 32 | The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users. | Yes | Pass | - |
|----|--|-----|------|---|

100%

Successful Elements

```
<html class="svgfilters placeholder csspositionsticky supports inlinesvg csscolumns csscolumns-width csscolumns-span csscolumns-fill csscolumns-gap csscolumns-rule csscolumns-rulecolor csscolumns-rulestyle csscolumns-rulewidth csscolumns-breakbefore ...
```

33 The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings. Yes Pass -

100%

Successful Elements

```
<meta name="viewport" content="width=device-width, initial-scale=1">
```

34 Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections. Yes 3 0

100%

Successful Elements

```
<main id="site-content" role="presentation"> <div class="c-hero-home " style=";background-color:#ffffff!important;color:#000000!important;"> <div class="c-hero-home__wrap o-wrapper" data-acsb-main="true" role="main"> <h1 cl...
```

```
<footer class="c-footer" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <div class="c-footer__top " style=";background-color:#ffffff!important;color:#000000!important;"> <div class="c-footer__brand"> ...
```

35 Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents. Yes Pass -

100%

36 Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or

100%

Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.

Yes

70

0

100%

Successful Elements

```
<a class="c-navigation-top__link " href="https://www.carmel.ac.uk/parent-hub/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Parent Hub</...>
```

```
<a class="c-navigation-top__link " href="https://www.carmel.ac.uk/about-us/contact-us/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Con...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/courses/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" data-acsb-tooltip="Use / to navigate" style...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/life-at-carmel/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!impor...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/results-progression/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/student-services/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!imp...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/applying/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!important;c...
```

```
<a class="c-navigation__link " href="https://www.carmel.ac.uk/about-us/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded="false" style=";background-color:#ffffff!important;c...
```

```
<a class="c-navigation-add__link " href="https://www.carmel.ac.uk/events/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Open Events</a>
```

```
<a class="c-navigation-add__link " href="https://www.carmel.ac.uk/apply/" data-custom-button-processed="true" data-acsb-menu="a" data-acsb-menu-root-link="true" style=";background-color:#ffffff!important;color:#000000!important;">Apply Now</a>
```

38 Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".

No 0 0

39 Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.

No 0 0

40 A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.

No 0 0

41 Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.

No 0 0

42 Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.

No 0 0

43 If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".

No 0 0

44 Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.

No 0 0

45 Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.

No 0 0

| | | | | |
|----|---|----|---|---|
| 46 | Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality." | No | 0 | 0 |
|----|---|----|---|---|

| | | | | |
|----|---|----|---|---|
| 47 | Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate. | No | 0 | 0 |
|----|---|----|---|---|

| | | | | | |
|----|---|-----|------|---|------|
| 48 | Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance. | Yes | Pass | - | 100% |
|----|---|-----|------|---|------|

| | | | | | |
|----|---|-----|------|---|------|
| 49 | Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant. | Yes | Pass | - | 100% |
|----|---|-----|------|---|------|

Successful Elements

```
<iframe width="256" height="60" role="presentation" name="a-7dwqr86cye0d" frameborder="0" scrolling="no" sandbox="allow-forms allow-popups allow-same-origin allow-scripts allow-top-navigation allow-modal s allow-popups-to-escape-sandbox" src="https://...
```